

[Auto Restoration 101](#)

Tips, techniques and anything related to old cars.

- [front page](#)
- [about](#)
- [contact](#)
- [product reviews](#)
- [advertise or sponsor](#)
- [RSS](#)



← [1948 Holden 48-215\(FX\) The Mohs Ostentatiene Restoration Part 3](#) →

Metal Rescue Rust Remover Bath

February 23rd, 2010 Posted by: Steve --> · [No Comments](#)



[Metal Rescue™ Rust Remover Bath](#) is a clean, safe and easy solution to removing rust. Metal Rescue™ removes the rust on parts by utilizing a water based, safe synthetic molecule that is attracted specifically to iron oxide (ie. rust). Metal Rescue™ removes the iron oxide and holds it in solution, leaving the base part and other materials safely unaffected. The result, the cleanest, safest and easiest way to remove rust in the industry.

Metal Rescue is safe on everything except rust! Just soak, check and rinse/dry.

When the gallon of Metal Rescue showed up my son and I were looking all over the shop for some rusty parts to soak. He had just bought this old Pexto bead roller and thought we should give it a try. It was fairly clean when he got it so the only thing we did to it was remove the wood handle. We were surprised that when we poured it out that it had absolutely no smell at all.



We let this tool soak for 24 hours. I think it was ready to take out after about 8 hours. We started soaking it early in the morning and checked it once during the day and it was pretty much finished. But we forgot about it, closed up shop and remembered about it the next morning. The results are impressive.



Before



After



PREPARATION: For best results, ARMOR recommends removing as much dirt, oil and other contaminants from the metal surface as possible, prior to de-rusting

SOAK: Surfaces to be de-rusted must be fully immersed. Metal Rescue™ must maintain [contact](#) in wet form with the rusted surface to be effective. As product is used, it will become darker in color. Continue to reuse product until there is a performance drop off. Note: this is a ready to use product, NOT a concentrate.

CHECK: Check periodically. Soak time ranges: Light rust will require 5-30 minutes, moderate rust up to 4 hours and heavily rusted items may take up to 24 hours. Do not leave part in solution after rust is no longer present or metal might become dark.

RINSE: Once the rust has been removed, the surface should be rinsed with water or clean Metal Rescue™ and dried thoroughly.

Visit the [Metal Rescue website](#) for more info.

Tags: [Auto Restoration Products](#) · [Metal Working](#) · [Restoration Tips](#)

0 responses so far ↓

- There are no comments yet...Kick things off by filling out the form below.

Leave a Comment

Name

Mail

Website